



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

diagram is symmetrical about a line approximately in the direction of the Magnetic North Pole.

(e) The extreme diurnal range of the Ebro earth currents reaches its highest values near the equinoctial months, and lowest near the solstitial months. Earth currents, atmospheric electricity, the Aurora Borealis, and the earth's magnetic disturbances, all show similar annual variations in the ranges of their fluctuations.

(f) The potential gradients of earth currents and of atmospheric electricity apparently vary during the sun-spot cycle, the former decreasing in the direction of normal flow of current, and the latter increasing with increased sun-spot activity. The diurnal ranges of the potential gradients of earth currents, as well as of atmospheric electricity, just as is the case for the diurnal variation of terrestrial magnetism, increase with increased sun-spot activity.

(g) There is evidence of a similar six-hour wave in atmospheric electricity, earth currents and terrestrial magnetism.

The analyses referred to in (c) are chiefly those by Schuster, Fritsche, Chapman, Walker, and Miss van Vleuten, the method of investigation employed by them being that first suggested by Gauss, which is based on the well-known Amperian rules of deflection of a magnetic needle by an electric current. The general result reached by these investigators, as stated in (c), has been accepted by every modern magnetician; it post-dates the investigations by Airy and Weinstein quoted by Dr. Sanford in his recent article². In this connection it may be pointed out that the conclusions drawn by Dr. Sanford do not depend upon simultaneous earth-current and magnetic data at the *same* station, as was the case in my investigations.

As stated above, my present conclusions apply only to possible relations between the *diurnal variation* phenomena of earth currents and of the earth's magnetism. It does not appear that definitive conclusions can be safely reached until we have at the *same* station unquestioned coincident magnetic and electric

data, and until we can furthermore consider in our comparisons only that portion of the magnetic diurnal variation caused by systems of forces below the earth's surface.

A fresh examination is also being made regarding the relations between earth currents and severe disturbances of the earth's magnetism, such as occur during the so-called magnetic storms. There are some indications which may support the views recently advanced by Satyendra Ray³, though I am not prepared just now to make a definite statement.

With the view of giving renewed stimulus to systematic earth-current investigations, a special committee, "to consider and report on best methods and instruments," was formed at the Rome meeting of the International Section of Terrestrial Magnetism and Electricity last May. The chairman of the committee is Sir Arthur Schuster, and the secretary, Dr. S. J. Mauchly, of the Department of Terrestrial Magnetism.

LOUIS A. BAUER

DEPARTMENT OF TERRESTRIAL MAGNETISM,
CARNEGIE INSTITUTION OF WASHINGTON

COLLABORATORS IN THE STANDARDIZATION OF BIOLOGICAL STAINS

FROM time to time reports from the Committee on Standardization of Biological Stains have appeared, dealing with the investigations in progress. Many congratulations have been received by the chairman of the committee on the results accomplished; but as these accomplishments would have been impossible but for the very hearty collaboration of a long list of investigators, credit for the work should be given where it belongs by publishing the following list of committee members and collaborators:

COMMITTEE MEMBERS

F. W. Mallory, Boston City Hospital, Boston, Mass.

F. G. Novy, University of Michigan, Ann Arbor, Michigan.

³ Ray, S., "Ueber parallele Störungen von parallelen erdmagnetischen und erdelektrischen Elementen," Zs. Physik, Berlin, v. 7, 1921 (201-205).

² Earth currents and magnetic variations, SCIENCE, October 27, 1922, p. 466.

S. I. Kornhauser, School of Medicine, Louisville, Kentucky; in charge of the work for the American Society of Zoologists.

L. W. Sharp, College of Agriculture, Ithaca, N. Y.; in charge of the work for the Botanical Society of America.

COLLABORATORS

C. E. Allen, Department of Botany, University of Wisconsin, Madison, Wisconsin.

E. Allen, Ursinus College, Collegeville, Pa.

L. B. Arey, Northwestern University, Medical School, Chicago, Ill.

E. Artschwager, Bureau of Plant Industry, Washington, D. C.

H. P. Bell, Dalhousie University, Halifax, N. S.

Fred Berry, Department of Health, Columbus, Ohio.

M. F. Boyd, University of Texas, Galveston, Texas.

T. E. Buckman, Boston City Hospital, Boston, Mass.

Victor Burke, State College, Pullman, Washington.

C. T. Burnett, 608 Majestic Building, Denver, Colorado.

Gary N. Calkins, Department of Zoology, Columbia University, New York City.

F. W. Carpenter, Trinity College, Hartford, Conn.

P. Castleman, Health Department, Boston, Mass.

J. W. Churchman, Cornell Medical School, New York City.

R. E. Cleland, Goucher College, Baltimore, Maryland.

S. H. Craig, H. K. Mulford Company, Glenolden, Pa.

U. Dahlgren, Princeton University, Department of Biology, Princeton, N. J.

H. S. Davis, Department of Biology, University of Florida, Gainesville, Fla.

M. J. Dorsey, University of West Virginia, Morgantown, W. Va.

F. Ebersson, Mayo Clinic, Rochester, Minn.

A. A. Eisenberg, St. Vincent's Hospital, Cleveland, Ohio.

C. H. Farr, University of Iowa, Iowa City, Iowa.

J. H. Faull, Department of Botany, University of Toronto, Toronto, Canada.

C. R. Fellers, National Cannery Association, Seattle, Washington.

Margaret C. Ferguson, Wellesley College, Wellesley, Mass.

Miss M. J. Fisher, Cornell University, Ithaca, N. Y.

M. S. Fleisher, St. Louis University, School of Medicine, St. Louis, Mo.

F. P. Gorham, Brown University, Providence, R. I.

R. B. H. Gradwohl, Gradwohl Laboratories, 3514 Lucas Avenue, Chicago, Ill.

F. E. Hale, Mt. Prospect Laboratories, Brooklyn, N. Y.

G. M. Hamel, St. Vincent's Hospital, Cleveland, Ohio.

R. T. Hance, North Dakota Agricultural College, North Dakota.

Edith Hannum, H. K. Mulford Company, Glenolden, Pa.

F. C. Harrison and E. Hood, Macdonald College, Quebec, Canada.

M. J. Harkins, Dermatological Res. Lab., Philadelphia, Pa.

G. E. Harmon, Western Reserve Medical School, Cleveland, Ohio.

D. J. Healy, Agricultural Experiment Station, Lexington, Kentucky.

Robert W. Hegner, School of Hygiene and Public Health, Johns Hopkins University, Baltimore, Maryland.

P. G. Heineman and C. R. Hixon, U. S. Standard Products Company, 111 W. Monroe Street, Chicago, Illinois.

Grace A. Hill, 2143 Cedar Street, Berkeley, Cal.

J. Ben Hill, Department of Botany, Penn. State College, State College, Pa.

W. A. Hinton, Boston Dispensary, Boston, Mass.

F. W. Hochtel, University of Maryland Medical School, Baltimore, Maryland.

Davenport Hooker, University of Pittsburgh, School of Medicine, Department of Anatomy.

G. J. Hucker, Agricultural Experiment Station, Geneva, New York.

C. A. Hunter, State College, Pa.

F. M. Huntton, H. K. Mulford Company, Glenolden, Pa.

A. H. Hutchinson, Department of Botany, University of British Columbia, Vancouver, B. C.

G. F. Leonard, E. R. Squibb and Sons, New Brunswick, New Jersey.

M. Levine and L. H. James, Iowa State College, Iowa.

C. B. Lipman, University of California, Berkeley, California.

H. Macy, University of Minnesota, St. Paul, Minn.

P. Masucci, H. K. Mulford Company, Glenolden, Pa.

L. H. MacDaniels, Roberts Hall, Cornell University, Ithaca, New York.

M. S. Markle, Earlham College, Earlham, Indiana.

F. McAllister, Department of Botany, University of Texas, Austin, Texas.

- Blanche McAvoy, Indiana State Normal School, Muncie, Indiana.
 C. E. McClung, University of Pennsylvania, Philadelphia, Pa.
 G. McConnell, City Hospital, Cleveland, Ohio.
 J. T. Meyers, University of Nebraska, Omaha, Nebraska.
 C. Murray, Iowa State College, Ames, Iowa.
 J. F. Norton, University of Chicago, Chicago, Illinois.
 G. H. Parker, Zoological Laboratory, Harvard University, Cambridge, Mass.
 E. M. Pickens, University of Maryland, College Park, Maryland.
 C. A. Ravey, University of Vermont, Burlington, Vt.
 F. O. Reagan, Department of Zoology, University of California, Berkeley, Calif.
 E. Redowitz, H. K. Mulford Company, Glenolden, Pa.
 Neva Ritter, Consumers' League, Kansas City, Kansas.
 A. H. Robertson, Agricultural Experiment Station, Geneva, New York.
 W. R. B. Robertson, University of Kansas, Lawrence, Kansas.
 C. Roos, H. K. Mulford Company, Glenolden, Pa.
 W. G. Sackett, Agricultural Experiment Station, Fort Collins, Colorado.
 J. E. Simons, College of Agriculture, Corvallis, Oregon.
 G. H. Smith, Cornell University, Ithaca, N. Y.
 W. D. Stovall, State Laboratory of Hygiene, Madison, Wisconsin.
 W. G. Stover, Department of Botany, Ohio State University, Columbus, Ohio.
 George L. Streeter, Johns Hopkins Medical School, Baltimore, Maryland.
 W. R. Taylor, Department of Botany, University of Pennsylvania, Philadelphia, Pa.
 E. F. Voigt, Board of Health, Fort Smith, Arkansas.
 E. M. Wade, Board of Health, Minneapolis, Minnesota.
 H. B. Ward, Department of Zoology, University of Illinois, Urbana, Illinois.
 Wanda Weniger, N. D. Agricultural Experiment Station, North Dakota.
 Anna W. Williams, Department of Health, Research Laboratory, New York City.
 G. B. R. Williams, Paris, Illinois.
 C. L. Wilson, Cornell University, Ithaca, New York.

The work so far accomplished by these col-

laborators includes: an extensive study of American methylen blues, fuchsin, gentian violets, and eosins for bacteriological purposes; a study of eosin, methylene blue, hæmatoxylin, orange G and safranin for various histological purposes; while work is in progress at present on a number of other stains, including methylen green, Bordeaux red, brilliant green, brilliant cresyl blue, cresylecht violet, pyronin, and acid fuchsin. The results accomplished are so promising that there is reason to believe that the most commonly used stains can be regarded as standardized before the following winter is over. It will then be possible to work out some method of certification of stains which come up to the standards.

None of this work would have been possible but for the cooperation of such a large number of investigators, who have responded to every call for assistance in a most gratifying way. It was not anticipated at the start that such a large number would be found to take part willingly in an investigation of this sort. The work, of course, has been entirely voluntary. The committee would like, whenever reporting on any stain, to give due credit to all of these collaborators but as such a course is impractical the best plan seems to take the present occasion to make their names public and express appreciation for their assistance.

H. J. CONN,
Chairman

COMMITTEE ON STANDARDIZATION OF STAINS,
 NATIONAL RESEARCH COUNCIL

SCIENTIFIC EVENTS

THE RAMSAY MEMORIAL

THE unveiling of the tablet in Westminster Abbey in memory of Sir William Ramsay, to which reference has been made in *SCIENCE*, was the last act in connection with the memorial, a history of which is summarized in the *London Times*. In 1917 an appeal was issued for £100,000 by a committee, under the presidency of Mr. Asquith, and under the chairmanship of the late Lord Reay. At a subsequent date, the Prince of Wales became patron of the fund. The sum collected in cash is £57,645.

In addition, the fund has been augmented